



GREWIN INDUSTRIAL GROUP CO.,LTD.

Mail: admin@coilwindingmachinechina.com

Web:www.coilwindingmachinechina.com

TEL/WhatsApp: +86 18622096679



NAME: GW-988B

SPECIFICATION:

Model	GW-988B
Supply voltage	220V50/60HZ
Winding motor	brushless 400W6000RPM
Speed	10000RPM
Number of shares	3-19 (odd ODD-NUMBER)
Wire diameter	0.01~0.25mm
Stranded length	130mm-300mm
Number of twisted coils	(density) 1-999T
Stranded motor	AC200W servo motor
Machine weight	75kg
MACHINE SIZE	80*53*1500 px

ADVANTAGES:

1. Digital key navigation operation, one-hand setting, simple and easy to understand, can have four-six axes for choice
2. High-precision cable, high-speed winding, and high-efficiency automatic stranding function
3. The six-axis winding machine adopts FLSH ROM memory stranding data, each stranded wire data is named separately and any of them can be called at any time for stranding, and the data will not be lost after power failure, and the stranded length can be adjusted

GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

Mail: admin@coilwindingmachinechina.com

Web: www.coilwindingmachinechina.com

TEL/WhatsApp: +86 18622096679



WhatsApp



WeChat

4. Stranded spool, routing spool, (hanging spool) provide 0~99 section speed selection, and the output setting related to mechanical configuration.
5. The stranding machine can be purchased separately with the controller.
6. Automatic fault judgment function, setting parameters or errors in operation, automatically prompt misalignment information, can save labor.

FEATURES:

1. The maximum speed of the spindle is 10000rpm.
2. Automatic tension control: when stranding, the closing tension needs to be continuously increased when the closing wire receives the full plate from the bottom of the disk, and the machine can automatically track and adjust the closing tension; The tension of the whole coil is uniform and consistent, and the machine can also adjust the tension without stopping.
3. The main engine is oil lubrication, natural circulation cooling, effectively prolonging the service life of the spindle bearing. The wire crossing system adopts a new structure, and the wire is directly crossed from the spindle guide wheel to the bow belt, minus the scratches and strand jumping caused by the failure of the corner guide wheel on the aluminum disc.
4. The machine is equipped with three pressing devices to ensure the roundness of the conductor after twisting and reduce the loss of insulating materials.
5. The whole machine adopts synchronous belt drive, no lubrication point in the machine, keep the machine clean, the stranded wire is free of oil pollution, and it is suitable for the stranding of conductors with high surface cleanliness requirements.
6. To adjust the twisting distance, only need to replace one lead wheel, and to adjust the twisting direction, only need to pull the reversing rod, which is simple and easy to operate, thereby reducing the operator's error rate and work intensity. The whole machine bearings are made of well-known Japanese brands, the bow belt is made of new materials, good flexibility, to avoid strand jumping caused by vibration when running at high speed, frequency converter, PLC, magnetic powder clutch, electromagnetic brake, hydraulic jack, etc. are imported well-known brands to reduce the failure rate and maintenance costs.

GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area, Dongli Distr, Tianjin, China.





GREWIN INDUSTRIAL GROUP CO.,LTD.

Mail: admin@coilwindingmachinechina.com

Web: www.coilwindingmachinechina.com

TEL/WhatsApp: +86 18622096679



PRODUCT:



GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

Mail: admin@coilwindingmachinechina.com

Web: www.coilwindingmachinechina.com


TEL/WhatsApp: +86 18622096679



PRACTICAL APPLICATION :

TRAINING CUSTOMER TO OPERATE WINDING MACHINE :

- 1.All service engineers with 10 years experience are gotten special technology training, who can deal with various breakdown problem.
- 2.Guide the user to use accurately and how to maintain the product.
Provide free consultation about production process technology of electronic products.
- 3.In order to guarantee the machine used normally, we'd have training on how to operate, use and maintain our product by English manual, video, guiding on line.



WhatsApp:+86 18622096679
Web: www.coilwindingmachinechina.com

GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

Mail: admin@coilwindingmachinechina.com

Web: www.coilwindingmachinechina.com

TEL/WhatsApp: +86 18622096679



PACKAGING:

Packaging Material: Carton/Wooden case with foam inside.

- 1.General package(Paper carton or plastic bag): For small equipped parts for Toroidal Transformer Winding Machine , Package it with form and pack paper to guarantee unbroken during the transport.
- 2.Wooden case package: For larger scale Toroidal Winding machine ,we have special skilled carpenter, who would make the proper wooden case with exact thickness,density,length. The up arrow ↑ marked on the outer wooden case. Buffer material would be put in the wooden case to prevent crack and shock.



GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

Mail: admin@coilwindingmachinechina.com

Web: www.coilwindingmachinechina.com

TEL/WhatsApp: +86 18622096679



FACTORY:

We-

GREWIN INDUSTRIAL GROUP is expert in winding machines lines for 28Years. Our Grewin have ISO9001:2015,CE approvals,Machines' Patents,"high-tech enterprises"by the government.



GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.